SAMSUNG

LCD-TV

Chassis	Model
GJA32MUS	LNT3242H
GJA40MUS	LNT4042H
GJA46MUS	LNT4642H

SERVICE Manual

LCD TV

Fashion Feature

- RF, DVI-D, PC(Analog), Component, Video, S-Video
- Brightness : 500cd/㎡
- Contrast Ratio : 32": 1000:1, 40": 1200:1
- Respense time : 8ms
- Dynamic contrast
- PIP (on PC only)

Copyright

©2007 by Samsung Electronics Co., Ltd.

All rights reserved.

This manual may not, in whole or in part, be copied, photocopied, reproduced, translated, or converted to any electronic or machine readable form without prior written permission of Samsung Electronics Co., Ltd.

LNT3242H/LNT4042H/LNT4642H Service Manual

First edition March 2007.

Printed in Korea.

Trademarks

Samsung is the registered trademark of Samsung Electronics Co., Ltd.

LNT3242H/LNT4042H/LNT4642H and MacMaster Cable Adapter are trademarks of Samsung Electronics Co., Ltd.

Macintosh, Power Macintosh are trademarks of Apple Computer, Inc.

All other trademarks are the property of their respective owners.

Contents

1 **Precautions** **1-1**

1-1 Safety Precautions 1-1

1-2 Servicing Precautions 1-2

1-3 Electrostatically Sensitive Devices (ESD) Precautions 1-2

1-4 Installation Precautions 1-3

2 **Product specifications** **2-1**

2-1 Fashion Feature 2-1

2-2 LNT3242H Specifications 2-2

2-3 LNT4042H Specifications 2-3

2-4 LNT4642H Specifications 2-4

2-5 Spec Comparison 2-5

2-6 Option Specification 2-6

3 **Alignments and Adjustments** **3-1**

3-1 General Alignment Instuction 3-1

3-2 Factory Mode Adjustments 3-2

3-3 White Balance - Calibration 3-9

3-4 White Ratio (Balance) Adjustment 3-10

3-5 Servicing Information 3-11

3-6 LVDS cable code for each panel 3-12

4 **Troubleshooting** **4-1**

4-1 No Power 4-1

4-2 No Video (Analog PC Signal) 4-2

4-3 No Video (HDMI - Digital Signal) 4-4

4-4 No Picture (Tuner_CVBS) 4-6

4-5 No Picture (Tuner DTV TS) 4-8

4-6 No Picture(Video CVBS) 4-10

4-7 No Picture (S-Video Y/C) 4-11

4-8 No Picture(Component1, 2 : 480i, 480p, 720p, 1080i[Y, Pb, Pr]) 4-13

4-9 No Sound 4-15

5 **Exploded View and Parts List** **5-1**

5-1 LNT3242H Exploded View 5-1

5-2 LNT3242H Parts list 5-2

5-3 LNT4042H Exploded View 5-3

5-4 LNT4042H Parts list 5-4

5-5 LNT4642H Exploded View 5-5

5-6 LNT4642H Parts list 5-6

Contents

6 Electrical Parts List 6-1

6-1 LNT3242HX Parts List 6-1

6-2 LNT4042HX Parts list 6-26

6-3 LNT4642HX Parts List 6-51

7 Block Diagram 7-1

8 Wiring Diagram 8-1

8-1 Wiring Diagram 8-1

9 Schematic Diagrams 9-1

10 Operating Instructions and Installation 10-1

10-1 Front 10-1

10-2 Connection Panel 10-2

10-3 Remote Control 10-3

11 Disassembly and Reassembly 11-1

11-1 Disassembly 11-1

11-2 Reassembly 11-6

12 Schematic Diagram 12-1

12-1 Main PCB Diagram 12-1

12-2 Power PCB Layout 32" 12-2

12-3 Power PCB Layout 40" 12-3

12-4 Power PCB Layout 46" 12-4

13 Circuit Descriptions 13-1

13-1 Block description 13-1

14 Reference Infomation 14-1

14-1 Technical Terms 14-1

14-2 Pin Assignments 14-4

14-3 Timing Chart 14-6

14-4 Panel Description 14-10

-This Service Manual is a property of Samsung Electronics Co., Ltd.
Any unauthorized use of Manual can be punishedvunder applicable International and/or domestic law.

Samsung Electronics Co.,Ltd.
416, Maetan-3Dong, Yeongtong-Gu, Suwon City,
Gyeonggi-Do, Korea, 443-742
Printed in Korea
P/N : BN82-00185C-00
URL : http://itself.sec.samsung.co.kr/